FUJITSU

Data Sheet FUJITSU Notebook LIFEBOOK U745

Business Elegance Meets Premium Security

The FUJITSU Notebook LIFEBOOK U745 is a slim and light Ultrabook[™] for professionals supporting optimum mobility for business trips and ergonomics in the office. Its low weight from 1.55 kg (3.42 lbs) combined with a 35.6 cm (14.0-inch) anti-glare display with touch panel and backlit keyboard options offers you mobile comfort. The 4G/LTE or 3G/UMTS option and the pull-out LAN connector grant you added connectivity. Moreover, an embedded palm vein sensor option guarantees ultimate protection of your data. The common port replicator with the LIFEBOOK E family facilitates workplace sharing; the VGA port allows you to present on demand.

Elegance in combination with ergonomics

Elegant design and comfortable working in every situation

A slim 19 mm (0.75-inch) and lightweight notebook from 1.55 kg (3.42 lbs), FHD anti-glare display or HD+ with touch panel option, magnesium housing with aluminum palm rest

Optimum mobility and workplace convenience in one

Convenient working anywhere with a variety of features for the most demanding mobile user

Ultrabook™ with VGA port, display port, common port replicator with LIFEBOOK E family, Anytime USB Charge to charge phones, media devices even when the system is turned off, backlit keyboard option

Premium security

Guarantee protection of your notebook and company data from unauthorized access

Embedded palm vein sensor or fingerprint sensor option, Full Disk Encryption, SmartCard reader option, Trusted Platform Module option

Ultimate connectivity

Flexibility and increased availability through a variety of options

Pull-out LAN connector, embedded 4G/LTE or 3G/UMTS option, WLAN and Bluetooth

Easy upgradeability

- Direct access to key components reduces upgrade time and costs
- Door to exchange the battery, memory and internal storage













Components

Base unit	LIFEBOOK U745 14.0-inch				
Operating systems					
Operating system	Windows 8.1 Pro 64-bit Windows 8.1 64-bit Windows 7 Professional 64-bit				
Operating system compatible	Windows 10 Pro (license + recovery media only) Windows 8 64-bit Windows 8 32-bit Windows 7 Professional 32-bit				
Processor	Intel® Core™ i5-5200U processor (2.2 GHz, up to 2.7 GHz, 3 MB) *				
	Intel® Core™ i3-5010U processor (2.1 GHz, 3 MB) *				
	Intel® Core™ i7-5600U processor (2.6 GHz, up to 3.2 GHz, 4 MB)				
	Intel® Core™ i5-5300U processor (2.3 GHz, up to 2.9 GHz, 3 MB)				
	*Processor only for retail, SMB, education and government				
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes				
Memory modules	4 GB (1 module(s) 4 GB) DDR3 L, 1,600 MHz, PC3-12800, SO DIMM				
1	8 GB (1 module(s) 8 GB) DDR3 L, 1,600 MHz, PC3-12800, SO DIMM				
lard disk drives (internal)	SSHD, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.				
	SSD SATA III, 512 GB, 2.5-inch, OPAL capable				
	SSD SATA III, 256 GB, 2.5-inch, OPAL capable				
	SSD SATA III, 256 GB, 2.5-inch				
	SSD SATA III, 128 GB, 2.5-inch				
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)				
Interface add on cards/components (optional)					
3G/4G (optional)	Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s)				
-	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)				
WLAN (optional)	Intel® Wireless-N 7265 2x2 b/g/n with integrated Bluetooth 4.0				
	Intel® Dual Band Wireless-N 7265 2x2 ac with integrated Bluetooth 4.0				
Display	35.6 cm (14-inch),LED backlight,(HD+),Anti-glare touchscreen,magnesium,1,600 x 900 pixel,400:1 ,250 cd/m²				
	35.6 cm (14-inch),LED backlight,(HD+),Anti-glare display,magnesium,1,600 x 900 pixel,400:1 ,250 cd/m²				
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,700:1,300 cd/m ²				
Multimedia					
Camera	Built-in webcam (HD) with Status LED				

Base unit

Base unit	LIFEBOOK U745 14.0-inch		
General system information			
Chipset	Integrated		

General system information				
Chipset notes	Supports iAMT 10.0 Intel® vPro™ requires Core i5-53xx & i7-56xx CPU, Intel WLAN 7265 ac, TPM module			
Supported capacity RAM (max.)	12 GB			
Memory slots	1 DIMM (DDR3L)			
Memory notes	DDR3L – 1,600 MHz			
LAN	4 GB onboard, 1 DIMM slot with max. 8 GB Built-in 10/100/1,000 MBit/s Intel® 218LM			
BIOS features	BIOS based on Phoenix SecureCore			
	On board			
Audio type Audio codec	Realtek ALC3233			
Audio codec Audio features				
	Stereo speakers			
Display				
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: L/R 45°, T15°, B 35°; Color Gammut: 45% FHD - Viewing angle: L/R/T/B 85°, Color Gammut: 72%			
Graphics				
Base unit	LIFEBOOK U745 14.0-inch			
TFT resolution (DisplayPort)	up to 2,560 x 1,600			
TFT resolution (VGA)	up to 1,920 x 1,200			
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200			
Graphics brand name	Intel® HD Graphics 5500			
Graphics features	3 Display Support (2 external, 1 internal)			
Graphics notes	Shared memory depending on main memory size and operating system			
Interfaces				
DC-in	1			
Audio: line-out / headphone	1			
Audio: line-in / microphone	1			
Internal microphones	2x digital microphones (array)			
USB 3.0 total	3 (1 with Anytime USB Charge functionality)			
VGA	1			
DisplayPort	1			
Ethernet (RJ-45)	1 (pull-out connector)			
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)			
SmartCard slot	1 (optional)			
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE module)			
Port Replicator interfaces (optional)				
DC-in	1 (19V)			
Power on switch	1			
Audio: headphone	1			
Audio: microphone	1			
USB 3.0 total	4			
DisplayPort	2 - 1 DP (next to DVI) is shared with DVI, works when DVI not connected			
VGA	1			
DVI	1 - shared with DP (next to DVI) - works when DP (next to DVI) not connected			
Ethernet (RJ-45)	1 (10/100/1000)			
Kensington Lock support	1 (Portrep & System)			
eSATA				
Notes	Port replicator supports 0-Watts functionality			

Keyboard and pointing devices			
· · ·	Black colored key caps for backlight keyboard#Black colored key caps with red frame for regular keyboard#Isolation keyboard#Spill-resistant standard keyboard		
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm		
	Touchpad with two mouse buttons		
	EcoButton		
	Status LED		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, Bluetooth antenna shared with WLAN		
WLAN notes	Import and usage according to country-specific regulations.		
ViDi support	Yes (with Intel W-LAN)		
Power supply			
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter		
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology		
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter		
lotes	65W AC Adapter for usage with system/ min. 80W AC Adapter for usage with Port Replicator		
st battery options	Lithium polymer battery 4-cell, 45 Wh		
Runtime 1st battery	Up to 9:30 h		
Battery charging time	~120 min		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office product Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capa decreases slightly with every re-charge and over its lifetime.		
loise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	332.6 x 234.0 x 19.0 mm		
	13.09 x 9.21 x 0.75 inch		
Veight	from 1.55 kg with non-touch display, from 1.70 kg with touch display		
Veight (lbs)	from 3.42 lbs with non-touch display, with touch display from 3.75 lbs		
Veight notes	Weight may vary depending on actual configuration		
Derating ambient temperature			
Operating relative humidity	5 - 35 °C (41 - 95 °F) 20 - 85 %		
,	20-03 %		
Compliance -			
Europe	CE CB		
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.0 EPEAT® Gold (dedicated regions)		
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates		
Additional Software			
Additional software (preinstalled)	Adobe® Reader® (pdf reader) McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win8: Microsoft Push Button Recovery (hard disk based recovery) Win7: Fujitsu Recovery (hard disk based recovery)		

Additional Software				
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® Connection manager (optional with 4G/LTE or 3G/UMTS) CyberLink YouCam (webcam software)			
Manageability				
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 10.0 (depending on CPU)			
Manageability software	DeskView Client DeskView Instant BIOS Management			
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management			
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) WBEM (Web Based Enterprise Management) CIM (Common Information Model) BootP (made4you)			
Manageability link	http://www.fujitsu.com/fts/manageability			
Security				
Physical Security	Kensington Lock support			
System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2)			
User Security	Access protection via internal SmartCard reader (optional) Embedded palm vein sensor (optional) Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) SystemLock 3 SmartCard Security (optional): BIOS based pre-boot/ two-factor authentication for high level of access protection			

Warranty				
Warranty period	2 years (depending on country)			
Warranty type	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depend on local regulations)			
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty			
Product Support Services - the perf	ect extension			
Recommended Service	9x5, Onsite Response Time: Next Business Day			
Spare Parts availability	5 years after end of product life			
Service Weblink	http://ts.fujitsu.com/Supportservice			



Notebookcheck.com

Notebookcheck test result: good, FUJITSU Notebook LIFEBOOK U745, Notebookcheck.com - Germany April 2015

Recommended Accessories

Port Replicator for LIFEBOOK (U745, T726, T725, E7X6, E7X4, E7X3, E5X6, E5X4) and CELSIUS H730Port Replicator	Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator to connect to your external display, keyboard and mouse. Choose from a selection of port replicators to suit your Notebook and enjoy a hassle free and tidy workplace.	Order Code: S26391-F1337-L109
AC Adapter LIFEBOOK or STYLISTIC	Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.	Order Code: S26391-F1246-L509
AC Adapter LIFEBOOK or STYLISTIC	Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.	Order Code: S26391-F1246-L549
Prestige Pro Case Midi 14	The Fujitsu Prestige Pro Case Midi 14 offers you a stylish high-quality leather and nylon combination which will impress everyone who sees it. It protects your 35.6 cm (14-inch) notebook plus your essential accessories in padded compartments. Everything will be safe but accessible in dedicated front, document, and identification pockets.	Order Code: S26391-F1191-L80
ileeve Case M	The Fujitsu Sleeve Case M is the ideal notebook companion for easy transportation and protection. The slim construction makes it extremely portable, whilst the combination of exterior Twill PU and interior suede material protects your notebook from any potential damage. It incorporates a hidden magnet to keep the lid closed and the angular cut shape means that the compartment inside is easily accessible.	Order Code: S26391-F1192-L312
Wireless Notebook Mouse WI610	The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.	Order Code: S26381-K460-L100
External Super Multi Drive	For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. Upgrade your notebook or PC with this external drive and use it wherever you are.	Order Code: S26341-F103-L135

Wireless Keyboard Set LX901



The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.

S26381-K565-L4** (**: Country specific variation)

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U745, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U745 , please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

© 2016 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2016-02-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms

© 2016 Fujitsu Technology Solutions GmbH